

National Library of Medicine

PubMed

PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM
Search PubM	led 🔽 for					Go Clea	
	Limits	Previev	Windex His	story Clip	board	· ·	
)			***************************************			
`	Display	Abstract	▼ Save	Text Ord	er Additi	Clipboard	
Entrez PubMe	ed			*	•	-	

1: J Biol Chem 1993 Sep 15;268(26):19574-80

Related Articles, Books, LinkOut

PubMed Services Purification and characterization of recombinant Bet v I, the major birch pollen allergen. Immunological equivalence to natural Bet v I.

Ferreira FD, Hoffmann-Sommergruber K, Breiteneder H, Pettenburger K, Ebner C, Sommergruber W, Steiner R, Bohle B, Sperr WR, Valent P, et al

Institut fur Allgemeine und Experimentelle Pathologie, Universitat Wien, Vienna, Austria.

Related Resources

Pollen from trees of the order Fagales (e.g. birch, alder, hazel, oak, and hornbeam) are a major cause of Type I allergies observed in early spring. Previously, we reported the cloning and sequencing of Bet v I, the major birch pollen allergen, which showed high sequence similarities to a family of plant pathogen-activated genes (Breiteneder, H., Pettenburger, K., Bito, A., Valenta, R., Kraft, D., Rumpold, H., Scheiner, O., and Breitenbach, M. (1989) EMBO J. 8, 1935-1938). Here, we present the results on the expression, purification, and characterization of recombinant Bet v I produced in Escherichia coli as fusion and non-fusion protein, respectively. The purified recombinant proteins were analyzed to verify purity and structural integrity, and their immunological properties were compared to those of Bet v I isolated from birch pollen (natural Bet v I). Immunoblot analyses showed that the recombinant proteins are specifically recognized by monoclonal antibodies raised against natural Bet v I as well as by IgE from birch pollen-allergic patients. However, enzyme-linked immunosorbent assays revealed a decreased IgE-binding activity of the recombinant fusion Bet v I compared to the non-fusion and natural Bet v I proteins, which probably results from conformational changes due to the fusion tail. Recombinant non-fusion Bet v I was equivalent to natural Bet v I with respect to IgE-binding properties, the ability to induce in vitro proliferation of allergen-specific T-cell clones, and the ability to release histamine from basophils derived from birch pollen-allergic patients.

PMID: 8366100, UI: 93374950

Display Abstract V Savo Toxt Order A	
Display Abstract Save Text Order A	dd to Clinhoard
	ad to Olipodalu